FEB 1 7 2009 PTO/SB/21 (01-09)
Approved for use through 02/28/2009. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE perwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Application Number 10/603,528 TRANSMITTAL Filing Date June 25, 2003 First Named Inventor **FORM** Quigley, et al. Art Unit 3747 **Examiner Name** John T. Kwon (to be used for all correspondence after initial filing) Attornov Docket Number

Total Number of Pages in This Submission Attorney Docket Number CECO-19		
ENCLOSURES (Check all that apply)		
Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Address Terminal Disclaimer Request for Refund CD, Number of CD(s) Landscape Table on CD Remarks	After Allowance Communication to TC Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below): Corrected Appeal Brief
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT		
Firm Name Kries De Vault LLP		
Signature		
Printed name J. Stephen Wills		
Date Feb. 11, 20	Reg. No.	55,731
CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on		
the date shown below: Signature		
Typed or printed name J. Stephen Wills		Date Feb. 11, 2009)

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit:

3747

Confirmation

No.:

4126

Application

No.:

10/603,528

Title:

INTERNAL COMBUSTION ENGINE

PISTON

Inventor:

Quigley et al

Filing Date:

June 25, 2003

Priority:

June 28, 2002

Attorney

Docket No:

CECO-19

Examiner:

John T. Kwon

APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to a Notification of Non-Compliant Appeal Brief mailed January 28, 2009, a corrected Appeal Brief is included herein. Applicants have corrected all issues noted in the Notification. Fees for the Appeal were paid with the Appeal Brief submitted December 9, 2008, and it is believed that this response is timely filed. The Commissioner is hereby authorized to charge any fees that may be required, or credit any overpayment, to Deposit Account No. 12-

2424.

Appeal Brief Application No. 10/603,528 Page 1 of 19 KD_IM-1962605_1.DOC

Certificate Under 37 CFR 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Mail Stop Appeal Brief – Patents Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

on Feb. 11, 2009

(Signature)

J. Stephen Wills (Printed Name)

I. REAL PARTY IN INTEREST

Per 37 CFR §41.37(c)(1)(i), the real party in interest is Cummins Inc., the assignee of record.

II. RELATED APPEALS AND INTERFERENCES

Per 37 CFR § 41.37(c)(1)(ii), the applicants, the applicants' legal representative, and the assignee are not aware of any related actions or interferences which will affect, be directly affected by, or have a bearing on the Appeal Board's decision in the present appeal.

III. STATUS OF CLAIMS

Per 37 CFR §41.37(c)(1)(iii), the status of the claims is as follows. Claims 1-34, and claim 44, are canceled. Claims 42, 43, and 45-49 are rejected under 35 U.S.C. § 112. Claims 35-43, and 45-52 are rejected under 35 U.S.C. § 103(a). All rejections are being appealed on the grounds further explained hereinafter. The claims are presented in the Claims Appendix in accordance with 37 CFR §41.37(c)(1)(viii).

IV. STATUS OF AMENDMENTS

Per 37 CFR §41.37(c)(1)(iv), no claims have been amended since the Final Office Action.

V. SUMMARY OF CLAIMED SUBJECT MATTER

Per 37 CFR §41.37(c)(1)(v), the following summarization provides a concise explanation of the subject matter defined in each of the independent claims involved in the appeal, and a Appeal Brief Application No. 10/603,528 Page 2 of 19 KD_IM-1962605_1.DOC

concise explanation of each dependent claim argued in the appeal. This summarization refers to page numbers, paragraph numbers, line numbers, and figure numbers of the present application as published on Jan. 19, 2006.

Independent claim 35 is directed to an apparatus for a piston with a solid head; a skirt; a longitudinal centerline; having a circumferential sidewall portion and a bottom wall portion defining a combustion bowl within the solid head at the first end with the annular surface extending around the combustion bowl; where the sidewall portion includes a sharp edge at an intersection of the annular surface and a part of the sidewall portion that extends substantially parallel to the centerline; a substantially rounded lip overhanging a portion of the combustion bowl and spaced axially from the sharp edge; an upwardly flared portion located between the sharp edge and the substantially rounded lip; where the combustion bowl at the sharp edge is round and the rounded lip is closer to the centerline than the sharp edge; and where the sharp edge directs fuel passing out of the combustion bowl away from the annular surface.

An exemplary embodiment of claim 35 is presented in FIG. 3 and the related text. FIG. 3 illustrates a piston 22 with a solid head 52, a skirt 54, and a centerline X. See paragraph 17, lines 13-15 and paragraph 18, lines 9-11. The piston 22 has a circumferential sidewall portion and a bottom wall portion defining a combustion bowl 51 within the solid head 52. See paragraph 18, lines 11-13. The piston 22 includes an annular surface 50 extending around the combustion bowl 51. See paragraph 18, lines 1-2. The sidewall portion includes a sharp edge 75 at an intersection of the annular surface 50 and a part of the sidewall portion 62 that extends substantially parallel to the centerline X. See paragraph 18, lines 17-19, and lines 22-29. The piston 22 further includes a substantially rounded lip 27 overhanging a portion of the combustion bowl 51 and spaced axially from the sharp edge 75. See paragraph 18, lines 11-15 and lines 24-26. The Appeal Brief

Appeal Brief Application No. 10/603,528 Page 3 of 19 KD_IM-1962605_1.DOC piston 22 further includes an upwardly flared portion 60 between the sharp edge 75 and the rounded lip 27. *See* paragraph 18, lines 15-17. The combustion bowl 51 at the sharp edge is round, and the rounded lip 27 is closer to the centerline X than the sharp edge 75. *See* paragraph 18, lines 9-11 and lines 31-36. The sharp edge 75 is structured to direct fuel passing out of the combustion bowl 51 away from the annular surface 50. *See* paragraph 19, lines 5-13.

Independent claim 42 is directed to a piston body having a longitudinal centerline and a first end surface; a combustion bowl defined in the piston body with an entrance adjacent to the first end surface; the piston body having a sharp edge portion extending around the entrance for directing fuel exiting the combustion bowl away from the first end surface; a rounded portion for receiving a fuel within the combustion bowl, where the rounded portion overhangs a portion of the combustion bowl and is located closer to the centerline than the sharp edge portion; and where the sharp edge portion is defined on a part of a wall of the combustion bowl extending in a direction parallel with the centerline.

An exemplary embodiment of claim 42 is presented in FIG.2 and the related text. FIG. 2 illustrates a piston body 22 having a longitudinal centerline X and a first end surface 50, and combustion bowl 51 defined in the piston body 22, with an entrance. *See* paragraph 16, lines 1-3, and paragraph 18, lines 1-5. The piston body 22 has a sharp edge portion 61 extending around an entrance (the open face of the combustion bowl 51) for directing fuel 80 exiting the combustion bowl 51 away from the first end surface 50. *See* paragraph 18, lines 15-19, and paragraph 19, lines 5-13. The piston body 22 includes a rounded portion 27 for receiving a fuel 80 within the combustion bowl 51, where the rounded portion 27 overhangs a portion of the combustion bowl 51 and is closer to the centerline X than the sharp edge portion 61. *See* paragraph 18, lines 9-15 and lines 31-16. The piston body 22 further includes the sharp edge Appeal Brief

Appeal Brief Application No. 10/603,528 Page 4 of 19 KD_IM-1962605 1.DOC portion 61 defined on a part of the wall of the combustion bowl extending in a direction parallel

with the centerline X. See paragraph 18, lines 18-28.

Independent claim 50 is directed to a piston having a head portion and a skirt portion;

where the head portion does not have internal cooling passages; the piston further having a

longitudinal centerline and a first end surface with a combustion bowl defined therein and an

entrance adjacent to the first end surface; wherein the head includes a sharp edge portion

extending around the entrance for directing fuel exiting the combustion bowl away from the first

end surface; the piston further having a rounded portion for receiving a fuel thereon within the

combustion bowl; where the rounded portion overhangs a portion of the combustion bowl and is

closer to the centerline than the sharp edge.

An exemplary embodiment of claim 50 is presented in FIG. 3 and the related text. FIG. 3

illustrates a piston 22 having a head 52 with no internal cooling passages and a skirt 54. See

paragraph 17, lines 13-15. The piston 22 further includes a centerline X, and a first end surface

50 with a combustion bowl 51 defined therein and an entrance adjacent to the first end surface 50

(the open face of the combustion bowl 51). See paragraph 16, lines 1-3, and paragraph 18, lines

1-5.. The head 52 includes a sharp edge portion 61 extending around the entrance for directing

fuel exiting the combustion bowl 51 away from the first end surface 50. See paragraph 18, lines

15-19, and paragraph 19, lines 5-13. The piston 22 further includes a rounded portion 27 for

receiving fuel thereon within the combustion bowl 51, where the rounded portion 27 overhangs a

portion of the combustion bowl 51 and is closer to the centerline X than a sharp edge 75 of the

sharp edge portion 61. See paragraph 18, lines 9-15 and lines 31-16.

Appeal Brief

Application No. 10/603,528

VI. GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Pursuant to 37 CFR §41.37(c)(1)(vi), review of the following issues are presented in this appeal:

- a) the rejection of claims 42, 43, and 45-49 under 35 U.S.C. § 112 as failing to comply with the written description requirement;
- b) the rejection of claim 35 under under 35 U.S.C. § 103(a) as being unpatentable over Gaiser et al. (U.S. 6,539,910 B1) in view of Hofmann et al. (U.S. 5,605,126);
- c) the rejection of claim 42 under under 35 U.S.C. § 103(a) as being unpatentable over Gaiser et al. (U.S. 6,539,910 B1) in view of Hofmann et al. (U.S. 5,605,126); and
- d) the rejection of claim 50 under under 35 U.S.C. § 103(a) as being unpatentable over Gaiser et al. (U.S. 6,539,910 B1) in view of Hofmann et al. (U.S. 5,605,126).

VII. ARGUMENTS

The following remarks address the grounds of rejection in accordance with 37 CFR § 41.37(c)(1)(vii).

One set of rejections in the Appeal are based on 35 U.S.C. § 112. "To satisfy the written description requirement, a patent specification must describe the claimed invention in sufficient detail that one skilled in the art can reasonably conclude that the inventor had possession of the claimed invention. See, e.g., *Moba, B.V. v. Diamond Automation, Inc.*, 325 F.3d 1306, 1319, 66 USPQ2d 1429, 1438 (Fed. Cir. 2003); *Vas-Cath, Inc. v. Mahurkar*, 935 F.2d at 1563, 19 USPQ2d at 1116." See MPEP § 2163.I.

The remaining rejections are based on 35 U.S.C. § 103(a), asserting that each claim is unpatentable over Gaiser et al. (U.S. 6,539,910 B1) in view of Hofmann et al. (U.S. 5,605,126). Appeal Brief Application No. 10/603,528 Page 6 of 19 KD_IM-1962605_1.DOC

The seminal case directed to application of 35 U.S.C. § 103 is Graham v. John Deere, 383 U.S. 1, 148 USPQ 459 (1966). From this case, four familiar factual inquiries have resulted. The first three are directed to the evaluation of prior art relative to the claims at issue, and the last is directed to evaluating evidence of secondary considerations. See, MPEP §2141.

The examiner bears the burden of establishing a prima facie case of obviousness. See, In re Warner, 379 F.2d 1011, 1016, 154 USPQ 173 (CCPA 1967), cert. denied, 389 U.S. 1057 (1968). To meet this burden, three basic criteria must be met. First, there must be some suggestion or motivation, either in the references themselves or in the knowledge generally available to one of ordinary skill in the art, to modify the reference or to combine reference teachings. Second, there must be a reasonable expectation of success. Third, the prior art reference (or references when combined) must teach or suggest all the claim limitations. The teaching or suggestion to make the claimed combination and the reasonable expectation of success must both be found in the prior art, and not based on applicant's disclosure. See, MPEP § 2142, citing In re Vaeck, 947 F.2d 488, 20 USPQ2d 1438 (Fed. Cir. 1991). KSR v. Teleflex, 550 U.S. (2007), makes clear that "the [Graham] factors continue to define the inquiry that controls." KSR at 2. For the following reasons, these criteria have not been met and a prima facie case of obviousness has not been established.

A. Claims 42, 43, and 45-49 reasonably convey to one skilled in the art that the inventors had possession of the claimed invention at the time the application was filed

Claim 42 includes the limitation "wherein said sharp edge portion is defined on a part of a wall of the combustion bowl extending in a direction parallel with said centerline" and is representative of the rejected matter in all of the claims rejected under 35 U.S.C. § 112. The Appeal Brief Application No. 10/603,528

Page 7 of 19 KD_IM-1962605_1.DOC Final Office Action (Final) states that the words of the application originally used "substantially parallel" (page 8, lines 4-5 – found at, e.g. paragraph [0018] as published) and that "arguments based on measurement of a drawing are futile in providing anticipation of a particular length."

The Final further argues:

Applicant argues that newly re-inserted limitation of "parallel..." is not new matter because it was supported by the specification as well as in the drawings. The examiner disagrees because absent any written description in the reference specification of quantitative values, arguments based on measurement of a drawing are futile in providing anticipation of a particular length. In Re Wright, 193 USPQ 332, 335.

Furthermore, applicant argues that one skilled in the art would have understood the description of substantial parallel, combined with figures. The examiner disagrees because the general rule for interpreting the meaning of a word in a claim is: unless the word has special meaning in the art or the word has been given a certain definition by the specification, the ordinary dictionary definition controls. The definition of "substantial" is described as "being largely but not wholly that which is specified" (Merriam-Webster's collegiate dictionary, 10^{th} edition). Since the word "substantial" has no special meaning in the art or the word has been given a certain definition by the specification, "substantially parallel" and "parallel" is substantially different and it did not supported by the specification.

Applicants respectfully submit that the reasoning used in the Final rejection is incorrect on two grounds.

First, interpretation of features from the drawings in the present case is in full compliance with the decision of In re Wright. In re Wright stated that length measurements and size ratios cannot be utilized from drawings that are not indicated to be drawings made to scale. See In re Wright, 193, USPQ 332. In the present case, parallelism is a geometric construct and not a sizing construct. Therefore, combining the drawings with the description elements of "the upstanding wall 62 is substantially parallel to the centerline X," (see paragraph [0018]) and that the configuration prevents the spray plume from spilling onto the surface 50 (see paragraph [0019]), one of skill in the art would understand a parallel upstanding wall 62 to be within the Appeal Brief

Appeal Brief Application No. 10/603,528 Page 8 of 19 KD_IM-1962605_1.DOC possession of the inventor at the time of filing the application. Any measurement suggested by

the Applicants was not suggested to deduce a quantitative example from the drawing, but rather

to confirm what is clear to the observer, i.e. that the embodiments illustrated in the present

application are parallel or close to parallel, while the embodiments illustrated in Gaiser are

significantly not-parallel.

Secondly, the selected definition for "substantial" in the Final is flawed. The Final has

selected a definition for the adjective "substantial" rather than a definition for the adverb

"substantially," and significantly has selected the fifth definition from the cited source (i.e.

Merriam-Webster's Collegiate Dictionary, 10th Edition) with no statement as to why the selected

definition should be deemed the most appropriate. Applicants note that the relevant meaning of

"substantially" is whatever the term means to one of skill in the art, and not necessarily what the

dictionary states. However, even if a dictionary is utilized, the adverb "substantially" has the

following definition:

To a great extent or degree;
 In a strong substantial way.

Therefore, even if the suggestion of the Final to utilize a dictionary to define

"substantially parallel" is accepted, the term would mean "to a great extent or degree parallel",

which combined with a parallel drawing FIG. 2, and a slightly off-parallel drawing FIG. 3,

would be understood by one of skill in the art to include an embodiment that was actually

parallel.

Based on the preceding, Applicants assert that the application as originally submitted

contains full support for embodiments where the upstanding wall 62 are parallel to the centerline

Appeal Brief

X, that it would be clear to one of skill in the art that the inventor had possession of parallel embodiments, and therefore the rejections of claims 42, 43, and 45-49 under 35 U.S.C. § 112 are improper. Applicants request that the rejections under 35 U.S.C. § 112 be withdrawn.

B. The asserted combination does not teach or suggest all limitations of claim 35

Claim 35 includes the limitations "a piston having a solid head" and "a part of said sidewall portion extending substantially parallel to the centerline."

The Final acknowledges that "Gaiser does not disclose a solid head portion of a piston", but states that "Hoffmann shows that the provision of a solid piston is old and well known in the art." It is well settled that a "proposed modification [that] would render the prior art invention unsatisfactory for its intended purpose" prevents finding a "suggestion or motivation to make the proposed combination." See, MPEP §2143.01.V and In re Gordon, 733 F.2d 900, 221 USPQ 1125 (Fed. Cir. 1984). In the present case, Gaiser is "a piston for diesel engines includ[ing] a piston body having a closed oil gallery", and is a device to provide direct lubrication of pin boss inner faces via the oil gallery. See Gaiser, Abstract and Summary. There is no embodiment of Gaiser that does not include an oil gallery 42, and the removal of the gallery 42 would render any disclosed embodiment of Gaiser inoperable. Therefore, the combination of a solid piston head from Hoffman is the exemplary combination contemplated in In re Gordon that "render[s] the prior art invention unsatisfactory for its intended purpose," and the combination is therefore improper.

¹ From WordNet® 3.0, © 2006 Princeton University, found at http://www.dictionary.com/, last visited Nov. 24, 2008. The source cited by the Final does not have a definition for the adverb form "substantially."

The Final states that "a part of said sidewall portion extending substantially parallel to the

centerline" is found at the sharp edge adjacent to the surface 14. Gaiser does not indicate

whether the edge found at the intersection of the surface 14 and the piston sidewall is a "sharp

edge", but the wall at that position is not "substantially parallel." The wall at that position

appears to be significantly varied from parallel to the casual observation, and in fact is 12

degrees from parallel when measured. All embodiments disclosed in the present application are

described as substantially parallel, and are illustrated as parallel or within about 2 degrees of

parallel. While In re Wright instructs that sizes and scales cannot be determined from drawings

in the absence of description indicating that the drawings are to scale, the geometry and

positioning of objects can be utilized, in combination with the written description, to indicate

what would be understood to one of skill in the art. In the present application, the drawings and

descriptions are all parallel or substantially parallel. In Gaiser, the drawings are not close to

parallel and there is no description indicating the intended geometry; in fact, the feature at issue

from Gaiser is not numbered or described in any manner. Therefore, it is improper to read

Gaiser as disclosing a piston sidewall that is parallel or substantially parallel to a centerline.

Because the combination of Gaiser with Hoffman is improper, and because Gaiser does

not include a sidewall portion that is parallel or substantially parallel, Gaiser or Gaiser with

Hoffman do not disclose the features "a piston having a solid head" or "a part of said sidewall

portion extending substantially parallel to the centerline" from claim 35.

For the reasons presented above, Applicants submit that the rejection of claim 35 under

35 U.S.C. § 103 is improper.

C. The asserted combination does not teach or suggest all limitations of

claim 42

Appeal Brief Application No. 10/603,528 Page 11 of 19

Claim 42 includes the limitation, "wherein said sharp edge portion is defined on a part of

a wall of the combustion bowl extending in a direction parallel with said centerline." Gaiser in

view of Hoffman does not include this limitation for substantially similar reasons to those

discussed regarding claim 35 preceding. Therefore, Applicants submit that the rejection of claim

42 under 35 U.S.C. § 103 is improper.

D. The asserted combination does not teach or suggest all limitations of

claim 50

Claim 50 includes the limitation "a piston body having a head portion and a skirt portion,

said head portion being free of internal cooling passages." For the reasons described regarding

claim 35 preceding, an embodiment of Gaiser created without internal cooling passages would

render Gaiser inoperable. Therefore, the limitation "a piston body having a head portion and a

skirt portion, said head portion being free of internal cooling passages" is not suggested by

Gaiser in view of Hoffman, and the rejection of claim 50 under 35 U.S.C. § 103 is improper.

Appeal Brief Application No. 10/603,528 Page 12 of 19 KD IM-1962605 1.DOC

VIII. CONCLUSION

For the foregoing reasons, reversal of the rejections by the Appeal Board is hereby requested.

Respectfully submitted,

J. Stephen Wills

Krieg DeVault LLP

One Indiana Square, Suite 2800 Indianapolis, Indiana 46204-2079

Phone: (317) 238-6297

Registered Patent ATTOMBY 55, 731

EVIDENCE APPENDIX

[NONE]

CLAIMS APPENDIX



1-34. (Canceled)

35. An apparatus, comprising:

a piston having a solid head, a skirt, a longitudinal centerline and a first end including an annular

surface, said piston having a circumferential sidewall portion and a bottom wall portion defining a

combustion bowl within said solid head at said first end with said annular surface extending thereround,

said sidewall portion including a sharp edge at the intersection of said annular surface and a part of said

sidewall portion extending substantially parallel to the centerline and a substantially rounded lip

overhanging a portion of said combustion bowl and spaced axially from said sharp edge and an upwardly

flared portion located between said sharp edge and said substantially rounded lip, said combustion bowl

defined at said sharp edge is round and said rounded lip is closer to said centerline than said sharp edge

is to said centerline, and wherein said sharp edge directs a fuel passing out of said combustion bowl

away from said annular surface.

36. The apparatus of claim 35, wherein said sharp edge limits the fuel from passing out of said

combustion bowl and onto said annular surface.

37. The apparatus of claim 35, wherein said sharp edge limits a fuel from passing out of said combustion

bowl and across said annular surface.

38. The apparatus of claim 35, wherein said substantially rounded lip is located between said bottom wall

portion and said sharp edge.

39. The apparatus of claim 35, wherein said part of said sidewall portion is located between said sharp

edge and said upwardly flared portion.

Appeal Brief
Application No

Application No. 10/603,528

40. The apparatus of claim 35 wherein said combustion bowl is substantially symmetrical about said

longitudinal centerline;

wherein said substantially rounded lip is located between said bottom wall portion and said sharp edge,

and wherein said substantially rounded lip overhanging a portion of said combustion bowl.

41. The apparatus of claim 35, wherein said piston is formed of one of a metallic, intermetallic, ceramic

and composite material.

42. An apparatus, comprising:

a piston body having a longitudinal centerline and a first end surface, said piston body having a

combustion bowl defined therein with an entrance adjacent said first end surface, said piston body having

a sharp edge portion extending around said entrance for directing a fuel exiting said combustion bowl

away from said first end surface and a rounded portion for receiving a fuel thereon within said combustion

bowl, said rounded portion overhangs a portion of said combustion bowl and is located closer to said

longitudinal centerline than said sharp edge portion is located to said centerline, and wherein said sharp

edge portion is defined on a part of a wall of the combustion bowl extending in a direction parallel with

said centerline.

43. The apparatus of claim 42, wherein said piston body has an outer circumferential surface, and

wherein said sharp edge portion is located radially inward of said outer circumferential surface; and

wherein said combustion bowl is symmetrical about said longitudinal centerline.

44. (Canceled)

45. The apparatus of claim 42, wherein said rounded portion extending circumferentially around said

combustion bowl.

Appeal Brief

46. The apparatus of claim 45, wherein said piston body having a bottom surface defining a portion of

said combustion bowl, and wherein said rounded portion is located between said bottom surface and said

sharp edge portion.

47. The apparatus of claim 46, wherein said piston body having an upwardly flared portion defining a

portion of said combustion bowl, and wherein said upwardly flared portion is located between said

rounded portion and said sharp edge portion.

48. The apparatus of claim 42, wherein said piston body has an outer circumferential surface; wherein

said sharp edge portion is located radially inward to said outer circumferential surface; wherein said

combustion bowl is symmetrical about said longitudinal centerline, wherein said piston body having a

bottom surface defining a portion of said combustion bowl, and wherein said rounded portion is located

between said bottom surface and said sharp edge portion; wherein said piston body having an upwardly

flared portion defining a portion of said combustion bowl, and wherein said upwardly flared portion is

located between said rounded portion and said sharp edge portion; and wherein said rounded portion,

said upwardly flared portion extend circumferentially around said bowl.

49. The apparatus of claim 42, wherein said piston body is free of internal cavities located between said

combustion bowl and the outer surface of the piston body.

50. A piston, comprising:

a piston body having a head portion and a skirt portion, said head portion being free of internal

cooling passages and having a longitudinal centerline and a first end surface with a combustion bowl

defined therein with an entrance adjacent said first end surface, said head having a sharp edge portion

extending around said entrance for directing a fuel exiting said combustion bowl away from said first end

surface and a rounded portion for receiving a fuel thereon within said combustion bowl, said rounded

Appeal Brief

Application No. 10/603,528

portion overhangs a portion of said combustion bowl and is located closer to said longitudinal centerline than said sharp edge portion is located to said centerline.

51. The apparatus of claim 50, wherein said sharp edge portion limits the fuel from passing out of said combustion bowl and onto said first end surface.

52. The apparatus of claim 50, wherein said sharp edge portion limits a fuel from passing out of said combustion bowl and across said first end surface.

RELATED PROCEEDINGS APPENDIX

[NONE]